


'08



ピレリタイヤ卸価格表

- ロープロファイルタイヤシリーズ ●スタンダードタイヤシリーズ
- 4WD・RVタイヤシリーズ ●スポーツタイヤシリーズ



POWER IS NOTHING WITHOUT CONTROL.

ロープロファイルタイヤシリーズ

24 inch
20 inch

プレステージプレミアム

25 30 35 40 45



サイズ	P ZERO	P ZERO ROSSO	P ZERO NERO	P ZERO System		
	(Y/ZR)	AS(Y/ZR)	(W/Y/ZR)	AS(Y)	DI(ZR)	
24	275/25R24		91,000 m			
	255/30R24		◆ 73,500 m			
23	265/25R23		◆ 67,500 m			
22	315/25R22		● 84,000			
	295/25R22		73,500			
	285/25R22		71,500			
	265/30R22		62,500			
	245/30R22		70,500			
	235/30R22		◆ 66,000			
	21	355/25R21	◆ 104,000			
		295/25R21		79,000		
285/30R21			74,500			
255/30R21			66,500			
295/35R21			82,500			
255/35R21			● 70,000			
245/35R21			62,500			
20		345/25R20		94,500		
	325/25R20		88,000			
	305/25R20		◆ 75,500			
	295/25R20		73,000			
	285/25R20		70,500			
	335/30R20	◆ 97,000	88,000			
	295/30R20	◆ 90,000				
	285/30R20	85,500	● 79,500		● 79,500	
	275/30R20	◆ 84,000		62,000		
	255/30R20			61,500		
	245/30R20			60,000		
	235/30R20			54,000		
	225/30R20			50,500		
	315/35R20		65,500			
	305/35R20	89,000				
	285/35R20	77,500				
	275/35R20	79,500	74,000	61,500		
	265/35R20	75,000				
	255/35R20	76,000			● 70,500	
	245/35R20	74,500		57,500		
	225/35R20			◆ 50,000 m		
	275/40R20		61,000			
	255/40R20	75,000				
	245/40R20	◆ 66,000	● 61,500			
	275/45R20		◆ 65,500			

◆ = 販売計画サイズ m = P ZERO NERO m+s RTF = ランフラット ● = 在庫限り

AS = Asimmetrico (非対称パターン)

DI = Direzionale (回転方向指定)

ロープロファイルタイヤシリーズ

19
inch

25 30 35 40
45 50

プレステージプレミアム



プレミアムスポーツ

19
inch

Low Profile
TYRE

サイズ	P ZERO	P ZERO ROSSO		P ZERO NERO	P ZERO System	DRAGON
	(Y/ZR)	AS(W/Y)	DI(Y)	(W/Y)	AS(Y)	(W)
19 355/25R19		94,500				
305/25R19		79,500				
305/30R19		80,000				
295/30R19	87,500	79,500				
285/30R19		71,000				
275/30R19	◆ 70,500	65,500		54,500		48,000
265/30R19	◆ 66,500	62,000		55,000		45,500
255/30R19		57,000		48,500		
285/35R19		67,000				
275/35R19		61,500				
265/35R19	68,000	◆ 61,500				
255/35R19	◆ 67,000	60,500	60,500		60,500	
245/35R19	61,000	56,500		47,500		41,500
235/35R19	58,000	54,000		45,500		39,500
225/35R19			51,500	43,000		
215/35R19				43,000		35,500
285/40R19		72,000				
275/40R19	69,900	59,000				
255/40R19	58,500	54,500			45,500	
245/40R19	57,500	53,500	53,500			
235/40R19				41,000		
225/40R19		● 46,500		41,500		
285/45R19		◆ 63,000				
275/45R19		61,000				
255/45R19					62,000	
245/45R19		53,000				
235/45R19		52,500				
225/45R19				36,500		
255/50R19		63,000				

スポーツタイヤシリーズ

19・18
inch inch

30 35 40

プレミアムセミレーシング



プレミアムセミレーシング

Sports
TYRE

サイズ	P ZERO CORSA System	
	AS(W/Y/ZR)	DI(Y)
19 305/30R19N0	86,500	
305/30R19	83,500	
295/30R19	87,500	
345/35R19	86,000	
285/35R19	72,500	
255/35R19		67,000
245/35R19		61,000
235/35R19		58,000
225/35R19		56,000
255/40R19		58,500
245/40R19		57,500
18 335/30R18	87,500	
315/30R18	85,000	
295/30R18	70,000	
245/35R18		57,000
235/40R18	49,000	49,000

19・17
inch inch

30 35 40 50

プレミアムセミレーシング



サイズ	P ZERO CORSA
	(Y)
19 305/30R19	86,500
295/30R19	◆ 87,500
235/35R19	58,000
18 315/30R18	85,000
295/30R18	70,000
285/30R18	65,000
265/35R18	59,000
255/35R18	56,000
235/40R18	49,000
225/40R18	49,000
17 255/40R17	42,000
205/50R17	36,500

◆ = 販売計画サイズ ● = 在庫限り
AS = Asimmetrico (非対称パターン)
DI = Direzionale (回転方向指定)

ロープロファイルタイヤシリーズ

18
inch

18
inch

30 35 40 45
50 55 60

プレステージプレミアム

プレミアムスポーツ プレミアムバランス



サイズ	P ZERO	P ZERO ROSSO		P ZERO NERO	P ZERO System		DRAGON	P7	P6000P
	(Y)	AS(W/Y/ZR)	DI(Y)	(W/Y/ZR)	AS(Y/ZR)	DI(Y)	(W)	(W)	(W)
335/30R18	◆ 87,500	79,500			79,500				
315/30R18		76,500							
295/30R18		64,500			64,500				
285/30R18		60,500							
295/35R18		63,000							
285/35R18		62,000							
275/35R18		56,500							
265/35R18	58,500	54,500			54,500		37,000		
255/35R18	R/F 59,500								
	55,500	51,500		43,000			35,000		
245/35R18	◆ 57,000	53,000							
235/35R18					49,500				
225/35R18				43,000					
215/35R18				41,500			32,000		
285/40R18		60,000			● 60,000				
275/40R18					58,000				
265/40R18	61,000				57,000				
255/40R18		54,000	54,000		54,000				
245/40R18	R/F 55,000								
	51,500	48,000			48,000				
235/40R18	49,000	45,500		38,000			31,000		
225/40R18	R/F 52,000								
	48,500	45,000		37,500	45,000	45,000	30,500		
215/40R18				35,500			31,000		
285/45R18					67,000				
275/45R18		56,500							
255/45R18		47,500			38,000				
245/45R18	48,500	45,000	45,000			45,000	28,500		
235/45R18				32,500					
225/45R18		40,500		30,000 m					
215/45R18		37,000		29,300 m		41,500			
255/50R18		60,500			60,500				
245/50R18		44,000							
235/50R18		36,000							35,500
225/50R18				28,000					
215/50R18				25,500					
255/55R18		48,000							
225/60R18							30,500		

◆ = 販売計画サイズ m = P ZERO NERO m+s R/F = ランフラット ● = 在庫限り
AS = Asimmetrico (非対称パターン) DI = Direzionale (回転方向指定)

ロープロファイルタイヤシリーズ

17
inch

35 40 45 50
55 60

プレステージプレミアム

プレミアムスポーツ

プレミアムバランス



17
inch

Low Profile
TYRE

17

サイズ	P ZERO	P ZERO ROSSO	P ZERO NERO	P ZERO System	DRAGON	P7	P6 Four Seasons	P6000
	(W/Y)	AS (W/Y/ZR)	(W/Y/ZR)	AS (W/Y/ZR)	(V/W)	(W/Y)	(H/W)	(W/Y)
335/35R17				72,500				
285/40R17				48,500				
255/40R17	◆ R/F 48,500	41,500	34,500		28,000<W>			
245/40R17	◆ 42,000	39,000		39,000	26,500<W>			
235/40R17			31,500		25,500<W>			
215/40R17			28,500		23,000<W>			
205/40R17			29,500		23,500<W>			
195/40R17			25,500					
165/40R17					16,700<V>			
255/45R17				46,000				
245/45R17	◆ R/F 48,500 ◆ 45,000	41,500						
235/45R17	40,000	37,000	● 30,000		25,000<W>	33,000		
225/45R17	R/F 42,000 37,500	35,000	28,000	35,000	22,500<W>	31,000		28,500 ● 28,500*1
215/45R17			26,000		22,000<W>			
205/45R17			23,000	33,500	21,400<W>			
245/50R17				49,000				
235/50R17				41,500				30,500*1
225/50R17	R/F 46,500	38,500				28,500		28,000
215/50R17			26,500	35,500	21,000<W>	28,000		
205/50R17		36,500				25,000		22,000*1
245/55R17		40,500						
235/55R17			◆ 26,300 m			36,000		
225/55R17						33,500	32,500<W>*2 20,500<H>*2	
215/55R17						27,500		
255/60R17		34,500						

◆ = 販売計画サイズ m = P ZERO NERO m+s R/F = ランフラット ● = 在庫限り

*1 = P6000P *2 = P6FOUR allroad

AS = Asimmetrico (非対称パターン) DI = Direzionale (回転方向指定)

4WD・RV・ロープロファイル・スタンダードタイヤシリーズ

4WD
RV

4WD & RV
Low Profile
Standard
TYRE



SCORPION ZERO AS

30	315/30R30XL 114V	152,900
28	325/35R28XL 120V	144,200
26	305/30R26XL 109V	104,000
	295/30R26XL 107W	106,300
	315/40R26XL 120V	111,900
25	315/40R25XL 120V	82,500
24	315/30ZR24XL 109W	● 85,500
	315/35ZR24XL 114W	87,000
	305/35ZR24XL 112W	81,000
	285/35ZR24XL 108W	73,000
	295/40ZR24XL 114W	75,000
23	305/35ZR23XL 111W	77,000
22	335/25ZR22XL 105Y	● 84,000
	295/30ZR22XL 103W	70,000
	305/35ZR22XL 110W	73,000
	285/35ZR22XL 106W	65,500
	265/35ZR22 XL 102W	58,500
	305/40ZR22XL 114W	71,000
	265/40R22XL 106W	57,500
	305/45ZR22 XL 118W	69,500
	P285/45ZR22XL 114V	◆ 58,500
	P275/45R22XL 112V	55,500
20	295/40ZR20 106Y	62,500
	295/40ZR20 106W	● 62,500
	275/40ZR20XL 106Y	55,000
	305/45ZR20 112W	● 60,000
	305/45R20 112V	60,000
	295/45R20 110V	58,500
	265/45ZR20XL 108W	48,300
	245/45R20 99W	R/F 51,000
19	285/45ZR19 107W	44,000
	275/45R19XL 108V	◆ 42,500
	265/50R19XL 110V	36,000
	255/50ZR19XL 107Y	40,500
	235/55ZR19 105V	◆ 30,500
18	285/50ZR18 109W	34,000
	235/50R18 97V	30,000
17	275/55R17 109V	32,000
	235/55R17 99V	29,000
	235/65R17 108V	29,000



SCORPION ZERO

20	255/50ZR20XL 109Y	● 41,500
19	275/55R19 111H MO	38,500
	255/55R19XL 111V	● 34,500
18	255/45R18 99V	● 29,000
	285/55R18 113V	33,000
	255/55R18XL 109V NO	33,000
	235/55R18XL 109V	28,500
	255/60R18 112V	32,500
	235/60R18 103V	29,000
17	275/55R17 109V	● 32,000
	255/60R17 106V	29,500
	235/65R17XL 108V	29,000



SCORPION ATR

18	P255/55R18XL 109H	◆ 32,000
	P255/60R18XL 112H	◆ 30,000
17	P265/65R17 112T wl	27,000
	P235/65R17XL 108H	◆ 25,000
	P225/65R17 102H	◆ 24,000
16	P275/70R16 114T wl	20,500
	P265/70R16 112T wl	21,500
	P255/70R16 109T wl	20,000
	P245/70R16 107T wl	20,000
	P235/70R16 105T	20,000
	P225/70R16 102T wl	17,500
	LT265/75R16 123S wl	20,000
	P215/80R16XL 107T	◆ 17,000
	P205/80R16XL 104T	16,500
15	205/70R15 96T	14,000
	P235/75R15 105T	◆ 15,500
	P235/75R15XL 108T wl	● 15,500
	P215/75R15 100T wl	15,500
	P215/80R15 102T	◆ 16,000
	30X9.50R15 104S wl	15,500
	31X10.50R15 109S wl	17,000



SCORPION STR

20	P245/50R20 102T STRa	◆ 33,500
	P275/55R20 111H STR	46,000
18	235/50R18 97H STR	29,000
	P255/55R18XL 109V STR VO	33,000
	P255/55R18 109H STR VO	32,000
	P285/60R18XL 116H STR	◆ 31,000
	P275/60R18XL 113H STR	◆ 31,500
17	275/55R17 109H STR	● 27,500
	235/55R17 99H STR	28,000
	225/55R17 97H STR	24,000
	P275/60R17 110T STRa wl	25,000
	P255/60R17 106H STR VO	◆ 28,000
	215/60R17 96V STR	25,000
	275/65R17 115H STR	29,700
	P265/65R17 112H STR	28,000
	P245/65R17 107H STRa	26,000
	P265/70R17 113H STRa	24,000
16	235/60R16 100H STR	24,500
	255/65R16 109H STR	21,500
	215/65R16 98V STR	21,000
	P275/70R16 114H STR	21,500
	P265/70R16 112H STR	22,300
	P255/70R16 109H STR	21,000
	P245/70R16 107H STR	20,000
	P245/70R16 107T STRa wl	● 20,000
	P235/70R16 106H STR	◆ 20,000
	P235/70R16 105H STR	● 20,000
	P235/70R16 105T STRa wl	● 20,000
	225/70R16 102H STR	◆ 17,500
	P215/70R16 100H STR	15,500
	LT265/75R16 123R STRa wl	21,000
	P245/75R16 109T STRa wl	19,500
	P225/75R16 104T STRa wl	17,000
15	P265/70R15 112H STRa	21,000
	P225/70R15 100T STRa wl	16,500
	P205/70R15 96H STR	14,500
	P225/75R15XL 106T STRa wl	16,000



SCORPION S/T

16	235/70R16 105H	● 20,000
15	215/80R15 102S	● 15,000
	195/80R15 96H	● 14,500
	195/80R15 96T	14,500



SCORPION A/T

18	235/60R18XL 107T NO	25,000
17	235/65R17XL 108T NO	25,000
15	LT215/75R15 100S wl	14,000

◆ = 販売計画サイズ

R/F = ランプラット

● = 在庫限り

wl = ホワイトレター

ロープロファイル・スタンダードタイヤシリーズ

16 inch

40 45 50 55
60 65

プレステージプレミアム

プレミアムスポーツ プレミアムバランス



サイズ	P ZERO (V)	P ZERO ROSSO AS(V)	P ZERO NERO (V/W/Y)	P ZERO System AS(Y/ZR) DI(ZR)		DRAGON (V/W)	P7 (H/V/W/Y)	P6 (T/H)	P6000 (H/V/W)	P6000P (V/W)
16 225/40R16			● 27,500<W>							
215/40R16			26,000<W>							
195/40R16			23,500<W>							
225/45R16				● 31,500						
205/45R16			24,500<W>			18,000<W>				
195/45R16			21,500<W>			16,000<W>				
165/45R16						14,000<V>				
225/50R16			25,000<Y>	28,000		19,000<W>	25,000<W>			24,500<W>
205/50R16			21,000<Y>			17,000<W>	22,500<V>			
195/50R16									21,500<W>	
185/50R16									16,500<H>	
225/55R16							24,500<W>		27,000<W>	
215/55R16							22,000<V>		21,500<H>	
205/55R16	R/F 26,500	23,000	20,500<Y>		24,500	17,000<W>	23,000<Y>			
195/55R16							23,000<W>		22,500<W>	
185/55R16							21,500<V>	19,500<H>	21,000<V>	
235/60R16							22,000<W>		21,500<W>	
225/60R16							20,500<V>		20,000<V>	● 20,000<W>
215/60R16									18,500<H>	
205/60R16								17,500<H>		
215/65R16										
								17,500<H>		
								18,500<H>	22,000<W>	

◆ = 販売計画サイズ R/F = ランフラット ● = 在庫限り *2 = P6FOUR
AS = Asimmetrico (非対称パターン) DI = Direzionale (回転方向指定)

Run Flat
Low Profile
Standard
TYRE



EUFORI@

サイズ	(H/V/W/Y)
19 275/30R19 <Y>	R/F 67,500
255/30R19 <Y>	R/F 68,500
275/35R19 <W>	R/F 66,000
245/35R19 <Y>	R/F 57,500
225/35R19 <Y>	R/F 55,000
P275/40ZR19 <Y>	R/F 72,000
245/40R19 <W>	R/F 53,500
18 245/40R18 <Y>	● R/F 55,000
P255/45R18 <Y>	R/F 53,000
17 255/40R17 <W>	● R/F 49,000
255/40R17 <V>	● R/F 45,500
225/45R17 <Y>	R/F 43,000
225/45R17 <W>	R/F 40,000
225/45R17 <V>	R/F 36,500
205/50R17 <W>	R/F 37,500
205/50R17 <V>	R/F 35,000
16 195/55R16 <V>	R/F 25,000
195/55R16 <H>	R/F 23,500

P4000E

サイズ	(W)
15 225/65ZR15	27,000

P4000S

サイズ	(W)
15 215/70ZR15	18,000
205/70ZR15	17,000

P600

サイズ	(W)
15 235/60R15	31,500

P7000

サイズ	(W)
17 205/40ZR17	23,500
215/45ZR17	20,400

CN54

サイズ	(S)
12 125R12	4,300

CITYNET

サイズ	
16 215/75R16C 113R	● 19,400
14 195/75R14C 106R	● 10,500

DRAGO

サイズ	(V)
13 175/50R13	11,000

CINTURATO P4

サイズ	(T)
15 185/65R15	10,500
175/65R15	10,500
14 195/70R14	◆ 11,100
13 185/70R13	9,000

P700-Z

サイズ	(W)
15 205/50ZR15	● 20,500

ロープロファイル・スタンダードタイヤシリーズ

15 13
inch inch

35 45 50 55 60
65 70 80

Plusステージプレミアム | プレミアムスポーツ | プレミアムバランス



ベーシック

15
inch
13
inch

Low Profile
Standard
TYRE

サイズ	P ZERO System	DRAGON	P7	P6	P6000	P6000P	P3000
	AS(Y)	(H/V)	(V/W)	(T/H/V)	(T/H/V/W)	(H/V)	(T/H)
15	345/35R15	64,500					
	195/45R15			14,000(V)			
	165/45R15		12,000(V)				
	205/50R15					18,500(V)	
	195/50R15		12,700(V)	19,000(W) ◆ 15,500(H)	14,500(H)	15,000(V) 13,500(T)	
	205/55R15					18,000(V)	
	195/55R15		● 12,500(V)	17,000(V)	◆ 15,500(H)	● 16,000(V) 14,000(H)	
	185/55R15					15,500(V) 13,500(H)	
	175/55R15				14,000(H)		
	225/60R15			23,500(W) 19,500(V)	16,500(H) *3		
	215/60R15				16,500(H)	18,500(W)	
	205/60R15			17,500(W) 16,500(V)	15,000(H)	14,500(H)	16,000(V)
	195/60R15			16,000(V)	14,500(H)	15,500(V) 13,000(H)	● 15,500(V)
	185/60R15				13,500(H)	13,000(H)	
	175/60R15				12,500(H)		
	215/65R15				17,000(H)	16,000(H)	
	205/65R15			16,500(V)	15,500(H)	● 15,000(H)	16,000(V)
	195/65R15			15,000(V)	15,000(V)	17,000(W)	15,000(V)
	185/65R15		11,500(H)		14,500(H)	13,500(H)	13,300(T)
	175/65R15						11,200(H) 10,500(T)
145/65R15				9,400(H)			
14	185/55R14				11,000(H)		
	155/55R14		9,000(H)				
	195/60R14				◆ 13,000(H)	12,500(H)	
	185/60R14				12,000(H) 9,500(T)	11,500(H)	10,800(H) ● 9,500(T)
	175/60R14					10,500(H)	
	165/60R14				◆ 10,500(H)		
	195/65R14					12,500(H)	11,400(T)
	185/65R14		10,500(H)		11,500(H)	11,000(H)	● 10,000(T)
	175/65R14		9,500(H)		◆ 10,500(H)	10,000(H)	9,300(T)
	165/65R14						8,100(T)
	155/65R14						8,000(T)
	185/70R14						9,900(T)
	175/70R14						8,900(T)
	165/70R14						8,100(T)
	175/80R14						9,500(T)
	13	175/65R13					
165/65R13							7,900(T)
155/65R13							7,300(T)
185/70R13							● 9,000(T)
175/70R13							8,100(T)
165/70R13							7,100(T)
155/70R13							7,000(T)
145/70R13							6,100(T)
165/80R13							7,600(T)
155/80R13							7,000(T)
145/80R13						● 6,100(T)	
135/80R13						5,500(T)	

◆ = 販売計画サイズ ● = 在庫限り *2 = P6FOUR
AS = Asimmetrico (非対称パターン)